

Quality Indicators for Psychiatry/Mental Health				
Topic	Web Address	Source/Site	Site	
Behavior and Behavior Mechanisms - #182 indicators	http://www.qualitymeasures.ahrq.gov/browse/by-topic-detail.aspx?id=1179&ct=2	NQMC	http://www.qualitymeasures.ahrq.gov/	
Behavior Disciplines and Activities - #200 indicators	http://www.qualitymeasures.ahrq.gov/browse/by-topic-detail.aspx?id=5722&ct=2	NQMC	http://www.ahrq.gov/qual/measurix.htm	
Mental Disorders - #2 indicators	http://www.qualitymeasures.ahrq.gov/browse/by-topic-detail.aspx?id=1180&ct=2	NQMC		
Psychological Phenomena & Processes - #73 indicators	http://www.qualitymeasures.ahrq.gov/browse/by-topic-detail.aspx?id=23011&ct=2	NQMC		
Psychiatry/Mental Health NQF Endorsed Measures - #17	http://www.qualitymeasures.ahrq.gov/browse/nqf-endorsed.aspx?term=psychiatry%20mental%20health	NQMC		
Research Findings on Mental	http://www.ahrq.gov/research/mentalix.htm	NQMC		
A Summary of the National Strategy for Quality Improvement in Health Care Released	http://www.gwumc.edu/healthsci/departments/nursing/naqc_documents/Summary_of_the_National_Strategy_for_Quality_Improvement_in_Hea.pdf	NAQA	http://www.gwumc.edu/healthsci/departments/nursing/naqc/index.cfm	
Mental Health Measures from the National Quality Forum - #36	http://www.qualityforum.org/QPS/QPSTool.aspx?Keyword=mental%20health#qpsPageState=%7B%22TabType%22%3A1,%22TabContentType%22%3A1,%22SearchCriteriaForStandard%22%3A%7B%22TaxonomyIds%22%3A%5B%5D,%22SelectedTypeAheadFilterOption%22%3A%7B%22FilterOptionLabel%22%3A%22mental+health%22,%22FilterOptions%22%3A%5B%7B%22FilterItemID%22%3A261,%22TypeOfTypeAheadFilterOption%22%3A4,%22TaxonomyType%22%3A0%7D,%7B%22FilterItemID%22%3A14345,%22TypeOfTypeAheadFilterOption%22%3A2,%22TaxonomyType%22%3A0%7D%5D,%22SearchType%22%3A0,%22AssociatedStandardCount%22%3A0,%22ID%22%3A0,%22IsNew%22%3Atrue,%22IsActive%22%3Afalse,%22IsDeleted%22%3Afalse,%22IsLocked%22%3Afalse,%22IsLoading%22%3Afalse%7D,%22PageSize%22%3A%225%22,%22OrderType%22%3A3,%22OrderBy%22%3A%22ASC%22,%22PageNo%22%3A1%7D,%22SearchCriteriaForPortfolio%22%3A%7B%22Tags%22%3A%5B%5D,%22FilterTypes%22%3A0%7D,%22ItemsToCompare%22%3A%5B%5D%7D	NQF		
Agency for Health Care Research and Quality Substance Abuse and Mental Health Services Administration	Statistical Benchmarks for Quality Measures of Mental Health and Substance-Related Care	Grant # R01-HS10303-02S2	http://www.cqaimh.org/Benchmarks%20for%20Quality%20Measures%20SAMHSA.pdf	

<p>Center for Quality Assessment and Improvement in Mental Health, Cambridge Hospital and Harvard Medical School</p>	<p>Quality Measures for Mental Health Care: Results from a National Survey</p>	<p>This work was supported by grants by the National Institute of Mental Health (K08-MH001477), the Agency for Healthcare Research and Quality (R01-HS10303), the Substance Abuse and Mental Health Services Administration, and the Evaluation Center@HSRI</p>	<p>http://www.cqaimh.org/PDF%20Copy%20of%20MCRR%20paper/MCRR%20pdf.pdf</p>	<p>Medical Care Research and Review, Vol. 57 Supplement 2, (2000) 136-154 © 2000 Sage Publications, Inc.</p>
--	--	---	--	--

National Quality Measures Clearing House retrieved from:

<http://www.qualitymeasures.ahrq.gov/browse/nqf-endorsed.aspx?term=psychiatry%20mental%20health> on January 8, 2012

MEASURE		SOURCE	
Bipolar disorder: the percentage of patients diagnosed and treated for bipolar disorder who are monitored for change in their level-of-functioning in response to treatment.	NQMC:003506	STABLE (STAndards for BipoLar Excellence) performance measures. Boston (MA): Center for Quality Assessment and Improvement in Mental Health; 2007. various n.	Any setting
Bipolar disorder: the percentage of patients diagnosed with bipolar disorder and treated with an atypical antipsychotic agent who receive at least one screening for hyperglycemia within the initial 16 weeks of treatment	NQMC:003501	STABLE (STAndards for BipoLar Excellence) performance measures. Boston (MA): Center for Quality Assessment and Improvement in Mental Health; 2007. various p.	Any setting
Bipolar disorder: the percentage of patients diagnosed with bipolar disorder who receive an initial assessment that considers the risk of suicide	NQMC:003491	STABLE (STAndards for BipoLar Excellence) performance measures. Boston (MA): Center for Quality Assessment and Improvement in Mental Health; 2007. various n.	Any setting
Bipolar disorder: the percentage of patients with bipolar disorder who receive an initial assessment that considers alcohol and chemical substance use	NQMC:003493	STABLE (STAndards for BipoLar Excellence) performance measures. Boston (MA): Center for Quality Assessment and Improvement in Mental Health; 2007. various n.	Any setting
Child and adolescent major depressive disorder: percentage of patients aged 6 through 17 years with a diagnosis of major depressive disorder with documented evidence that they met the DSM-IV criteria [at least 5 elements with symptom duration of two weeks or longer, including 1) depressed mood (can be irritable mood in children and adolescents) or 2) loss of interest or pleasure] during the visit in which the new diagnosis or recurrent episode was identified.	NQMC:004437	Physician Consortium for Performance Improvement®. Child and adolescent major depressive disorder physician performance measurement set. Chicago (IL): American Medical Association (AMA); 2008 Sep. 30 p. [13 references]	Child Adolescent
Depression: the percentage of patients diagnosed with unipolar depression who receive an initial assessment that considers alcohol and chemical substance	NQMC:003494	STABLE (STAndards for BipoLar Excellence) performance measures. Boston (MA): Center for Quality Assessment and Improvement in Mental Health; 2007. various n.	Any setting

Depression: the percentage of patients presenting with depression who were assessed, prior to the initiation of treatment, for the presence of prior or current symptoms and/or behaviors associated with mania or hypomania.	NQMC:003490	STABLE (STAndards for BipoLar Excellence) performance measures. Boston (MA): Center for Quality Assessment and Improvement in Mental Health; 2007. various p.	Any setting
Diagnosis and management of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents: percentage of patients newly diagnosed with ADHD whose medical record contains documentation of DSM-IV-TR or DSM-PC criteria.	NQMC:005999	Institute for Clinical Systems Improvement (ICSI). Diagnosis and management of attention deficit hyperactivity disorder in primary care for school-age children and adolescents. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2010 Mar. 72 p. [128 references]	Child Adolescent
Diagnosis and management of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents: percentage of patients treated with psychostimulant medication for the diagnosis of ADHD whose medical record contains documentation of a follow-up visit at least twice a year.	NQMC:006000	Institute for Clinical Systems Improvement (ICSI). Diagnosis and management of attention deficit hyperactivity disorder in primary care for school-age children and adolescents. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2010 Mar. 72 p. [128 references]	Child Adolescent
Hospital-based inpatient psychiatric services: the percentage of patients discharged from a hospital-based inpatient psychiatric setting on two or more antipsychotic medications with appropriate justification.	NQMC:006326	Specifications Manual for Joint Commission National Quality Core Measures [Version 2011A]. Oakbrook Terrace (IL): The Joint Commission; 2010 Dec. HBIPS-1 to HBIPS-270 p.	Hospital Inpatient Psychiatric Setting
Hospital-based inpatient psychiatric services: the percentage of patients discharged from a hospital-based inpatient psychiatric setting on two or more antipsychotic medications.	NQMC:006325	Specifications Manual for Joint Commission National Quality Core Measures [Version 2011A]. Oakbrook Terrace (IL): The Joint Commission; 2010 Dec. HBIPS-1 to HBIPS-270 p.	Hospital Inpatient Psychiatric Setting
Hospital-based inpatient psychiatric services: the percentage of patients discharged from a hospital-based inpatient psychiatric setting with a continuing care plan created	NQMC:006327	Specifications Manual for Joint Commission National Quality Core Measures [Version 2011A]. Oakbrook Terrace (IL): The Joint Commission; 2010 Dec. HBIPS-1 to HBIPS-270 p.	Hospital Inpatient Psychiatric Setting

<p>Hospital-based inpatient psychiatric services: the percentage of patients discharged from a hospital-based inpatient psychiatric setting with a continuing care plan provided to the next level of care clinician or entity.</p>	<p>NQMC:006328</p>	<p>Specifications Manual for Joint Commission National Quality Core Measures [Version 2011A]. Oakbrook Terrace (IL): The Joint Commission; 2010 Dec. HBIPS-1 to HBIPS-270 p.</p>	<p>Hospital Inpatient Psychiatric Setting</p>
<p>Hospital-based inpatient psychiatric services: the total number of hours that all patients admitted to a hospital-based inpatient psychiatric setting were held in seclusion.</p>	<p>NQMC:006324</p>	<p>Specifications Manual for Joint Commission National Quality Core Measures [Version 2011A]. Oakbrook Terrace (IL): The Joint Commission; 2010 Dec. HBIPS-1 to HBIPS-270 p.</p>	<p>Hospital Inpatient Psychiatric Setting</p>
<p>Hospital-based inpatient psychiatric services: the total number of hours that all patients admitted to a hospital-based inpatient psychiatric setting were maintained in physical restraint.</p>	<p>NQMC:006323</p>	<p>Specifications Manual for Joint Commission National Quality Core Measures [Version 2011A]. Oakbrook Terrace (IL): The Joint Commission; 2010 Dec. HBIPS-1 to HBIPS-270 p.</p>	<p>Hospital Inpatient Psychiatric Setting</p>
<p>Hospital-based inpatient psychiatric services: the percentage of patients discharged from a hospital-based inpatient psychiatric setting with a continuing care plan provided to the next level of care clinician or entity.</p>	<p>NQMC:006328</p>	<p>Specifications Manual for Joint Commission National Quality Core Measures [Version 2011A]. Oakbrook Terrace (IL): The Joint Commission; 2010 Dec. HBIPS-1 to HBIPS-270 p.</p>	<p>Hospital Inpatient Psychiatric Setting</p>
<p>Mental health: percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental health disorders and who had an outpatient visit, an intensive outpatient encounter, or partial hospitalization with a mental health practitioner within 30 days of discharge.</p>	<p>NQMC:006233</p>	<p>National Committee for Quality Assurance (NCQA). HEDIS® 2011: Healthcare Effectiveness Data and Information Set. Vol. 1, narrative. Washington (DC): National Committee for Quality Assurance (NCQA); 2010. various p.</p>	<p>Child Adolescent/Inpatient</p>

CMS

Approved CMS	NQF No.	Measure steward	Measure Name (dagger)	Program Used	Date Pub	Definitions
Approved CMS	N/A	NCQA	BMI Measurement Medical Assistance	Hedis, Healthcare homes	1/4/2012	http://www.gpo.gov/fdsys/pkg/FR-2012-01-04/html/2011-33756.htm
Approved CMS	0027	NCQA	with Smoking Cessation	MU1, HEDIS, NCQA, accreditation	1/4/2012	otherwise, NA is used. http://www.gpo.gov/fdsys/pkg/FR-2012-01-04/html/2011-33756.htm
Approved CMS	0418	CMS	Screening for Clinical Depression and FU Plan	PQRS, CMS, QIP, Health Homes Core, Shared Savings, HEDIS	1/4/2012	[Dagger] Measure Steward: AHRQ--Agency for Healthcare Research and Quality. http://www.gpo.gov/fdsys/pkg/FR-2012-01-04/html/2011-33756.htm
Approved CMS	N/A	NCQA	All Cause Re-admission	HEDIS HEDIS, NCQA accreditation, CHIPPPRA	1/4/2012	CMS--Centers for Medicare & Medicaid Services. http://www.gpo.gov/fdsys/pkg/FR-2012-01-04/html/2011-33756.htm
Approved CMS	0576	NCQA	FU after admisison for mental illness	Core, Health Home Core	1/4/2012	NCQA--National Committee for Quality Assurance. http://www.gpo.gov/fdsys/pkg/FR-2012-01-04/html/2011-33756.htm
Approved CMS	0018	NCQA	Controlling BP	MU1, HEDIS, NCQA, accreditation, PQRS, GPRO, Shared Savings	1/4/2012	TJC--The Joint Commission. http://www.gpo.gov/fdsys/pkg/FR-2012-01-04/html/2011-33756.htm
Approved CMS	0105	NCQA	Antidepressant Medication	MU1, HEDIS, NCQA Accreditation	1/4/2012	CHIPRA Core-- Children's Health Insurance Program Reauthorization Act-- Initial Core Set. http://www.gpo.gov/fdsys/pkg/FR-2012-01-04/html/2011-33756.htm
Approved CMS	N/A	CMS-QMHAG	Adherence for Anti-psychotic Medication Initiation and Engagement of	VHA	1/4/2012	
Approved CMS	0004	NCQA	Alcohol and other drug dependence treatment	MU1, HEDIS, Health Home Core	1/4/2012	CMS QIP--CMS Quality Incentive Program. http://www.gpo.gov/fdsys/pkg/FR-2012-01-04/html/2011-33756.htm

HOSPITAL-BASED INPATIENT PSYCHIATRIC SERVICES (HBIPS) NATIONAL QUALITY MEASURES

Set Measure ID # JCAHO (Hospital Based)	Measure Short Name	JCAHO
HBIPS-1a	Assessment of violence risk, substance use disorder, trauma and patient strengths completed- Overall Rate	JCAHO
HBIPS-1b	Assessment of violence risk, substance use disorder, trauma and patient strengths completed- Children (1-9 years)	JCAHO
HBIPS-1c	Assessment of violence risk, substance use disorder, trauma and patient strengths completed- Adolescent (10-17 years)	JCAHO
HBIPS-1d	Assessment of violence risk, substance use disorder, trauma and patient strengths completed- Adult (18-64 years)	JCAHO
HBIPS-1e	Assessment of violence risk, substance use disorder, trauma and patient strengths completed- Geriatric (>65 years)	JCAHO
HBIPS-2a	Hours of Restraint Use- Overall Rate	JCAHO
HBIPS-2b	Hours of Restraint Use- Children (1-9 years)	JCAHO

HBIPS-2c	Hours of Restraint Use- Adolescent (10-17 years)	JCAHO
HBIPS-2d	Hours of Restraint Use- Adult (18-64 years)	JCAHO
HBIPS-2e	Hours of Restraint Use- Geriatric (>65 years)	JCAHO
HBIPS-3a	Hours of Seclusion Use- Overall Rate	JCAHO
HBIPS-3b	Hours of Seclusion Use- Children (1-9 years)	JCAHO
HBIPS-3c	Hours of Seclusion Use- Adolescent (10-17 years)	JCAHO
HBIPS-3d	Hours of Seclusion Use- Adult (18-64 years)	JCAHO
HBIPS-3e	Hours of Seclusion Use- Geriatric (>65 years)	JCAHO
HBIPS-4a	Patients discharged on multiple antipsychotic medications- Overall Rate	JCAHO
HBIPS-4b	Patients discharged on multiple antipsychotic medications- Children (1-9 years)	JCAHO
HBIPS-4c	Patients discharged on multiple antipsychotic medications- Adolescent (10-17 years)	JCAHO
HBIPS-4d	Patients discharged on multiple antipsychotic medications- Adult (18-64 years)	JCAHO

HBIPS-4e	Patients discharged on multiple antipsychotic medications- Geriatric (>65 years)	JCAHO
HBIPS-5a	Discharge assessment and aftercare recommendations are sent to next level of care providers upon discharge- Overall Rate	JCAHO
HBIPS-5b	Discharge assessment and aftercare recommendations are sent to next level of care providers upon discharge- Children (1-9 years)	JCAHO
HBIPS-5c	Discharge assessment and aftercare recommendations are sent to next level of care providers upon discharge- Adolescent (10-17 years)	JCAHO
HBIPS-5d	Discharge assessment and aftercare recommendations are sent to next level of care providers upon discharge- Adult (18-64 years)	JCAHO

HBIPS-5e

Discharge assessment and aftercare recommendations are sent to next level of care providers upon discharge- Geriatric (>65 years)

JCAHO